



المختبر الطبي
ISTISHARI MEDICAL LABORATORY

No: A № 0 185379



SARS-CoV-2 (COVID-19) Test Result

Date 29-01-2023

Scan the code by your camera to match the result and
Press the link

Transaction	ID/Passport #	Patient Name	Age	Gender	Test Date	Result
		روى اسماعيل خليل	34 Year(s)	Female	29-01-2023	Positive

- A negative result doesn't exclude the possibility of COVID-19, especially in early disease
- Positive result is indicative of active infection with SARS-CoV-19
- A negative result doesn't preclude SARS-CoV-19 infection and should not be used as a sole basis for the treatment or other patient management decision, so negative result
- must be combined with patient history, and clinical suspicion
- Optimum specimen type and timing for peak viral load during infection has not been determined
- False negative result may occur if the specimen improperly collected, inadequate number of organism or amplification inhibitors are present in the specimen
- The above result for SARS-CoV-2 was done by Real Time PCR Technology
- The lab is not responsible for flights cancellation

المختبر غير مسؤول عن تأجيل رحلات الطيران



المختبر الطبي
ISTISHARI MEDICAL LABORATORY

Lab. Manager

Natiq Hano AlSaraj

29-01-2023

Natiq Hano AlSaraj

3 Sc Microbiologist

للإستشارة الفحوصات المخبرية

07849170800

info@istisharicare.com

بغداد / حي القادسية - الشارع المجاور
لمستشفى اليرموك - مدخل الطوارئ

Printed By: RMN

Last Update: MUS



حفظه ربانن covid

07849170800

المختبر يعمل صباحاً ومساءً - لخدمة عطله المختبر